



PRODUCT GUIDE 2020





PRODUCT GUIDE 2020

# HANDLE ICON 25"




ICON

*Manufactured from 6000 series aluminum.  
Developed as a high quality handle with modern  
design. Adjustable center shot and ergonomic grip.*

## SPECIFICATIONS

**184110**

► MATERIAL	Aluminum 6000 series
► WEIGHT	1286 g
► COLOR	
► SIZE	25"



CHOICE  
YOUR COLOR  
BE THE ICON



**Aases®**

ICON

**Aases®**  
**UNIQUE**




CUSTOM FORMULATED  
**3K CARBON TECHNOLOGY**



## UNIQUE

*Produced with 4 Layer 3K Nano Carbon Technology. Less vibration and high shot accuracy. It provides high energy and high performance with its superior limb geometry. ILF (international limb fitting)*



### UNIQUE LIMBS

3K CARBON  
CARBON UD  
MULTI FOAM  
MULTI FOAM  
CARBON UD  
3K CARBON

### SPECIFICATIONS

**193046**

- |            |                             |
|------------|-----------------------------|
| ► MATERIAL | High Modulus 3K Nano Carbon |
| ► POUNDAGE | 20-46 lbs                   |
| ► LENGHT   | 66"-68"-70"                 |



# X-FORCE

*Hi-tech carbon UD*


*Premium form*

*Increased speed, durability, and smoothness.*

*Ultimate shock absorbing ability.*

*Water, heat, and humidity resistant.*

*ILF (international limb fitting)*



## X-FORCE LIMBS

FIBER GLASS  
 PREMIUM FORM  
 FOAM  
 CARBON UD  
 HIGH MODULUS CARBON  
 N-COMPOSITE  
 HIGH MODULUS CARBON  
 CARBON UD

### SPECIFICATIONS

**184059**


- ▶ MATERIAL High Modulus UD carbon
- ▶ POUNDAGE 20-44 lbs
- ▶ LENGHT 66"-68"-70"





# ARIS

## ASES LIMBS ARIS



FIBER GLASS  
PREMIUM FORM  
FOAM  
FIBER GLASS

*Manufactured from fiber foam and carbon. Increased speed, durability, and smoothness. Improved design for extra strength ultimate shock absorbing ability. Water, heat, and humidity resistant. ILF (international limb fitting).*


### SPECIFICATIONS

184014

► MATERIAL	High Modulus Carbon / Foam
► POUNDAGE	20-44 lbs
► LENGTH	66"-68"-70"




## RTX NS PRO CARBON 9" / ALU 9"




### SPECIFICATIONS

**183015**


- MATERIAL Carbon/Aluminum
- WEIGHT 275 g
- LENGHT 9"
- COLOR 

*ASES NS PRO CARBON 9" / ALU 9" manufactured from carbon and aluminum materials with CNC machines. Designed for specifically for olympic style bows. It can be easy and sensitively adjustable. Its minimizes the concussion and vibrations. Lightweight, durable.*



### SPECIFICATIONS

**183011**

- MATERIAL Aluminum
- WEIGHT 293 g
- LENGHT 9"
- COLOR 




# CTX-NS PRO CARBON 9" /ALU 9"



## SPECIFICATIONS

**183061**


- MATERIAL Carbon/Aluminum
- WEIGHT 261 g
- LENGHT 9"
- COLOR 

*ASES new series compound bow sight strong and durable but also lightweight custom aluminum alloy. Lens adjustment with single screw; X,Y and Z axis of the lens all the settings can be made with a single screw. With the screw on the front of the lens mount, you can loosen the special O-ring mechanism that reduces the vibration and adjust the settings on the Planes 2 and 3 of the lens. It's also not fully opened to allow you to adjust when you loosen, and you can easily adjust to a degree 360° orbit. Durable anodized finish. Renewed and reinforced movement system. Spring connection piece reinforced against vibrations. 9 '' long vibration resistant special carbon rod.*



## SPECIFICATIONS

**183070**

- MATERIAL Aluminum
- WEIGHT 244 g
- LENGHT 9"
- COLOR 





## SCOPE FALCON PRO

*falconpro*



*Clear and comfortable vision. Thanks to its modular system, it is designed to aim clearly in indoor, sunny and rain. Thanks to its specially manufactured lens, it provides a clear view to the archer by preventing light breaks. A single scope can be shot in 3 different environments.*

### SPECIFICATIONS

**183079**

► MATERIAL	Aluminum/Plastic
► WEIGHT	33 g
► LENGHT	29
► COLOR	

## SCOPE FALCON NS

*New Series ASES FALCON SCOPE. High strength against vibrations with revised design and added top bridge. Specially manufactured lens that prevents light breakage. Customizable sighting system with labels of different sizes of points and rings.*

### SPECIFICATIONS



**183086**

► MATERIAL	Aluminum
► WEIGHT	33 g
► DIAMETER	29 mm
► COLOR	



### PEEP EDO VISION

*Manufactured from aluminum.*  
*Safety tie groove keeps peep in place.*  
*45 degree angled.*  
*Usable with clarifier or verifier lenses.*



#### SPECIFICATIONS

**173074**

► MATERIAL	Aluminum
► COLOR	
► WEIGHT	12.4 g



## SIGHT DAMPER 8-32" RC



*ASES sight damper absorbs the vibrations on sights and scopes and eliminates relaxations. ASES sight damper fits to all 10/32" compound sights, 8/32" recurve sights. 6 different color options.*

### SPECIFICATIONS

**173008**

- MATERIAL Aluminum/Rubber
- WEIGHT 40 g
- COLOR

## 10-32" CP



### SPECIFICATIONS

**173015**

- MATERIAL Aluminum/Rubber
- WEIGHT 40 g
- COLOR

## SIGHT DAMPER MINI METRIC/INCH

*The ASES sight damper mini eliminates noise and vibration in the sight.*

### METRIC



Screw Diameter: 4 Metric



### INCH



Screw Diameter: 8/32

### SPECIFICATIONS

**173034**

- MATERIAL Stainless steel/Rubber
- WEIGHT 10.6 g

### SPECIFICATIONS

**193086**

- MATERIAL Stainless steel/Rubber
- WEIGHT 10.6 g

### CLICKER CARBON XTREM

*Carbon Clicker is deliberately curved and uses the elasticity of the carbon material to retain its shape. No special tuning is required. The tip is made of aluminum and provides a clear "click" sound in shooting. Aesthetic design and minimum vibration. 6-32 thread*



#### SPECIFICATIONS

**173098**

► MATERIAL	Carbon
► WEIGHT	3.20g


### CLICKER 6-32

*Fits to every bow which has 6/32 screw hole. It has a colored plastic screw and a smooth end. Thread: 6-32*




#### SPECIFICATIONS

**163121**

► MATERIAL	Metal
► WEIGHT	4,45 g
► COLOR	

### PLUNGER-C

*Produced with stainless steel and aluminum material. Fit for bows with 5/16-24 screw hole. Includes 3 springs with different ratings and it is easy to adjust. It is suitable for the usage of carbon, carbon fiber and aluminum arrows. Package includes 2 spare tips and an allen wrench.*



#### SPECIFICATIONS

**193158**

► MATERIAL	Aluminum/ Stainless steel
► THREAD/LENGTH	5/16" 17.5-23.0
► COLOR	



## X-POISE LONG

### SPECIFICATIONS

**193090**

► MATERIAL	High modulus 3K carbon			
► WEIGHT	215g - 225g - 247g - 248g			
► LENGHT	26"	28"	30"	32"

## X-POISE SHORT

### SPECIFICATIONS

**193095**

► MATERIAL	High modulus 3K carbon			
► WEIGHT	105g - 126g - 133g - 150g - 40 g			
► LENGHT	10"	11"	12"	13" 15"

## X-POISE EXTENDER

### SPECIFICATIONS

**193101**

► MATERIAL	High modulus 3K carbon			
► WEIGHT	44 g - 50 g - 55 g - 61 g			
► LENGHT	3"	4"	5"	6"

*X-POISE, a new masterpiece from ASES Archery. It offers a unique experience with a barreled-design 3K carbon technology that makes our rod stiffer for perfect stability and easy aiming. You will feel the reduced vibration with the first arrow you shoot. Unique design with small diameter high modulus carbon reduces the effects of wind. A high-quality surface finish protects your stabilizer in every weather condition. Specially designed and machined stainless steel weights allow for perfect balance like no other. The package includes a protective sleeve to prevent scratches to your bow and stabilizers that occur inside your bow case.*

# Aases® X | POISE



INNOVATIVE DESIGN  
MEET WITH THE PERFECT BALANCE.



## PROTENA LONG

### SPECIFICATIONS

**163066**

► MATERIAL	High modulus 3K carbon			
► WEIGHT	258 g - 262 g - 271 g - 278 g			
► LENGHT	26"	28"	30"	32"

## PROTENA SHORT

### SPECIFICATIONS

**163070**

► MATERIAL	High modulus 3K carbon			
► WEIGHT	185 g - 187g - 190g			
► LENGHT	10"	11"	12"	

## PROTENA EXTENDER

### SPECIFICATIONS

**163074**

► MATERIAL	High modulus 3K carbon			
► WEIGHT	55 g - 72 g - 76 g - 78 g			
► LENGHT	3"	4"	5"	6"

*Manufactured from 3K high modulus carbon technology with double modulus system decreases the vibration effect to minimum. Especially provides %85 stability to wind effect at outdoor.*



**Aases®**

**PROTENA**

CHAMPION'S CHOICE



*26"28"30"32"*

***High modules 3K carbon***

*be the best*



## X-FORCE 3K LONG

### SPECIFICATIONS

**173086**

► MATERIAL	High modules 3K carbon
► WEIGHT	205 g - 209 g - 213 g
► LENGHT	26" 28" 30"

*X-Force reduces vibrations and increases performance of your bows efficiently. 3K X-Force stabilizers provide the bows working with balanced, because of equal carbon thickness with unique 3K carbon design. By reducing the vibrations after the shot, it minimizes the effects of vibration occurring on the archer.*

## X-FORCE 3K EXTENDER

### SPECIFICATIONS

**173094**

► MATERIAL	High modules 3K carbon
► WEIGHT	57 g - 64 g
► LENGHT	3" 4"

## X-FORCE 3K SHORT

### SPECIFICATIONS

**173090**

► MATERIAL	High modules 3K carbon
► WEIGHT	160 g - 166 g - 168 g
► LENGHT	10" 11" 12"



**Aases<sup>®</sup>**

**X-FORCE**



*reduces vibrations* 

*increases performance of your bows*



**LESS VIBRATION**  
**HI-MOD CARBON**




## DAMPER TX STABILIZERS

The upper part is made of aluminum, the middle part is made of rubber and the end has a stainless weight. ASES Damper TX has a both sides are compatible with 1/4 thread. Can use F series limbs and handles.



### SPECIFICATIONS

**153014**

► MATERIAL	Aluminum/Rubber
► WEIGHT	118 g
► LENGHT	

## X-POISE DAMPER



Produced for X-POISE rods.

Thanks to its three-knot structure, it minimizes vibration.

Thread: M8

### SPECIFICATIONS

**193141**

► MATERIAL	Rubber
► WEIGHT	27 g
► LENGHT	2 cm

## PROTENA DAMPER



Manufactured from rubber. Both sides fits to 1/4 thread. Suggested with both long and short stabilizers.

### SPECIFICATIONS

**163116**

► MATERIAL	Rubber
► WEIGHT	27 g
► LENGHT	2 cm

## VIBRATION MEGA 1/4" – 5/16"

Made for absorb the vibration on bows. Can be attached to riser or F series limbs.

Includes: 1/4 – 5/16 threadet nut.



### SPECIFICATIONS

**163050**

► MATERIAL	Rubber
► WEIGHT	44 g
► LENGHT	4 cm

## VIBRATION DAMPER

Manufactured from Rubber.

Thread: 1/4 thread



### SPECIFICATIONS

**153073**

► MATERIAL	Rubber
► WEIGHT	32 g
► LENGHT	4 cm

### X-POISE WEIGHT

Made of stainless steel for X-POISE rods. This weight system can be used for various combinations on stabilizers. A special design that can be used with O-Rings between every single round weights.



#### SPECIFICATIONS

**193104-09**

► MATERIAL	Stainless Steel
► WEIGHT	27 - 47 - 72 - 98 - 148 g

### X-POISE O-RING

Produced for the weight of X-POISE Rods.



#### SPECIFICATIONS

**193129-39**

► MATERIAL	Rubber
► WEIGHT	1 g
► COLOR	

### PROTENA O-RING

Manufactured from rubber. Attachable between weights. Reduced vibration.



#### SPECIFICATIONS

**163078**

► MATERIAL	Rubber
► WEIGHT	1 g
► COLOR	

### PROTENA WEIGHT

Made of stainless steel. This weight system can be used for various combinations on stabilizers. A special design that can be used with O-Rings between every single round weights. Comes with 1 piece 1/4 thread for every single weight.



#### SPECIFICATIONS

**163080-84**

► MATERIAL	Stainless Steel
► WEIGHT	25-50-75-100-125 g



*ASES v-bar has a design that can cope with the high energy on the bows. High-strength locking bolts provide reliable holding power and do not relaxation. It has been meticulously processed from high strength alloys with precise laser printing capability. With a special o-ring system, your stabilizer set works in harmony.*

## ADJUSTABLE WITH BOLT NS



### SPECIFICATIONS

**183093**

- MATERIAL Aluminum / Stainless steel
- WEIGHT 270 g
- COLOR

## ADJUSTABLE WITH LITE



### SPECIFICATIONS

**183005**

- MATERIAL Aluminum / Stainless steel
- WEIGHT 166.5 g
- COLOR

## ADJUSTABLE SINGLE EVO-BAR

*Manufactured from aluminum. Vibrations during shooting causes relaxation and our conical design stops this loosening. Can be adjusted up-down and right-left for 360° degrees and you can immobilize it whichever angle you want.*



### SPECIFICATIONS

**163171**

- MATERIAL Aluminum / Stainless steel
- WEIGHT 137 g
- COLOR

## ADJUSTABLE UNI BAR PLUS

*ASES Adjustable Uni Bar Plus, allows you control the energy on your bow. Adjustment lines marked by laser on it, makes you adjust your stabilizer left-right and up-down. High quality bolts and unique shape gives your a safe locking system. With a special o-ring system, your stabilizer set works in harmony.*



### SPECIFICATIONS **173060**

► MATERIAL	Aluminum / Stainless steel
► WEIGHT	160 g
► COLOR	

## ADJUSTABLE UNI BAR MOUNT BK



*ASES compound v-bar is fully adjustable and thanks to its conical design that never let loosening after squeezed. Fits to all compound bows.*

### SPECIFICATIONS **173036**

► MATERIAL	Aluminum / Stainless steel
► WEIGHT	150 g

## ACTIVE ADS V-BAR BK



*Manufactured from aluminum. Stainless connection bolt.*

### SPECIFICATIONS **153049**

► MATERIAL	Aluminum / Stainless steel
► WEIGHT	120 g
► MODEL	40 degree

## QUICK DISCONNECT NS

*Make easier to adjust and find balance point. 5 /16" connection bolt included.*




### SPECIFICATIONS **183041**

► MATERIAL	Aluminum
► WEIGHT	43 - 44 g
► MODEL	0° - 5° - 10°
► COLOR	



## ARROWREST PRO

Micro adjustable system provides the ability of right-left and up-down movements. You can change the angle easily. Total movement distance of system to right-left and up-down is: 14 mm [0,55 inches] 1,38 micron precision per degree movement. Thanks to special detachable system that provides changing the launcher without changing any adjustment. Comes with .010 and .012 launcher blades.



### SPECIFICATIONS

**173026**

► MATERIAL	Aluminum
► WEIGHT	85 g
► COLOR	  

## ARROWREST LAUNCHER



*Compatible with many arrow rest brands.*

### SPECIFICATIONS

**163060**

► MATERIAL	Metal
► WEIGHT	11 grain
► SIZE	.010 / .012 Launcher

## LIMB DAMPER SERGEANT

Meet with our new designed limb damper "sergeant" and riser dampers. Our engineers created a unique form and manufactured from mixing of the best raw materials, silicone and rubber for reducing vibration and noise. Fits all split limb compound bows which has 2,1 cm distance between the limbs. Perfect match with your bow color:




### SPECIFICATIONS

**193116**

► MATERIAL	Rubber
► WEIGHT	11 grain
► COLOR	       

## BOW STAND RECURVE PRO

*Manufactured from aluminum light and useful equipments for keeping bows away from ground.*




### SPECIFICATIONS

**173037**

- MATERIAL Aluminum
- WEIGHT 255 g
- COLOR

## BOW STAND RECURVE

*Manufactured from aluminum. Useful equipments for keeping bows away from ground.*



### SPECIFICATIONS

**153004**

- MATERIAL Aluminum
- WEIGHT 210 g
- COLOR

## BOW STAND COMPOUND

*Manufactured from aluminum. Stand for compound bows.*



### SPECIFICATIONS

**153091**

- MATERIAL Aluminum
- WEIGHT 175 g
- COLOR



## SHAFT THORKS

ases THORKS  
wrapped pure carbon shaft

accuracy 31" 4.2mm

350/001

ases ARCHERY

THORKS  
wrapped pure carbon shaft

accuracy light 4.2mm

*Produced by pure carbon material especially for midrange and higher archers. Spine options between 350 and 1800 straight tolerance. From 350 to 1000 straight tolerance; 0,001. From 1000 to 1800 straight tolerance; 0,003.*

### SPECIFICATIONS

182109

► MATERIAL	Carbon Fiber
► DIAMETER	4.2 mm
► LENGHT	31"
► SPINE	350, 400, 500, 600, 700, 800, 900, 1000, 1100 1200, 1300, 1400, 1500, 1600, 1700, 1800

## ARROW ONIX PIN NOCK




*Manufactured from carbon fiber. Includes glued ASES Onix point, ASES pin nock and 2" ONIX vanes.*

MADE BY ases® ONIX 900 COMPOSITE SHAFT

### SPECIFICATIONS

162016

► MATERIAL	Carbon Fiber
► STRAIGHT TOLERANCE	0,003
► DIAMETER	4.2 mm
► SPINE/LENGHT	500/32" - 600/32" - 700/31" 800/30" - 900/30" - 1000/19" 1100/28" - 1300/28"



SPINE/TOLERANCE	WEIGHT/GRAINS/INCH	LENGHT/INCH	INNER DIAMETER	OUTER DIAMETER	ACCURACY TOLERANCE
500	8,1	32	0.1654"	5,95	0,5
600	7,2	32	0.1654"	5,85	0,6
700	6,6	31	0.1654"	5,82	0,7
800	6,15	30	0.1654"	5,55	0,8
900	5,6	30	0.1654"	5,47	0,9
1000	5,56	29	0.1654"	5,43	1
1100	5,23	28	0.1654"	5,35	1,1
1300	4,81	28	0.1654"	5,23	1,3

## ARROW TROODON

*Manufactured from carbon. Replaceable screw points.  
Included 2" Blazer Vanes and ASES 3D Nock.*



### SPECIFICATIONS

**162026**

▶ MATERIAL	Carbon
▶ DIAMETER	6.2 mm
▶ SPINE/LENGHT	300/31" - 400/31"

## ARROW RAPTOR

*Manufactured from carbon and fiber replaceable screw points. Included 2" ASES vanes and ASES 3D Nock.*



### SPECIFICATIONS

**162029**

▶ MATERIAL	Carbon Fiber
▶ DIAMETER	6.2 mm
▶ SPINE/LENGHT	300/31" - 400/31"



## NOCK G



*Manufactured from special plastic.  
Compatible with all pin type.*

### SPECIFICATIONS

**192106**

► MATERIAL Plastic

► WEIGHT 3,6 grain

► COLOR 

## NOCK SUPER 3D

*It is nock which can be  
attached to 6.2 mm diameter  
arrows.*



### SPECIFICATIONS

**162071**

► MATERIAL Plastic

► WEIGHT 8,4 grain

► COLOR 

## NOCK PIN



*Manufactured from special plastic.  
Compatible with all pin type.*

### SPECIFICATIONS

**162014**

► MATERIAL Plastic

► WEIGHT 2,9 grain

► SIZE Small - Large

► COLOR 

## NOCK UNI "G"



*Manufactured from plastic.  
Inside nock without pin.*

### SPECIFICATIONS

**162013**

► MATERIAL Plastic

► WEIGHT 6,4 grain

► SIZE Small - Large

► COLOR 



### POINT ONIX



*Produced for Onix arrows.*

#### SPECIFICATIONS

**152027**

- MATERIAL Stainless Steel
- WEIGHT 75-80 grain

### POINT PRO



*Produced for 2312 - 2314 - 2315 aluminum arrow shafts. Stainless arrow point.*

#### SPECIFICATIONS

**152034**

- MATERIAL Stainless Steel
- WEIGHT 150 - 160 - 180 - 200 - 220 grain

### PIN THORKS



*Produced by aluminum material. Compatible for all pin nocks.*

#### SPECIFICATIONS

**182132**

- MATERIAL Aluminum
- WEIGHT 11 grain
- DIAMETER 4,2

### PIN ONIX 4.2



*4.2 pin is being used for Onix arrows.*

#### SPECIFICATIONS

**162035**

- MATERIAL Aluminum
- WEIGHT 11 grain

### POINT THORKS



*Produced by steel material with precision machines for Thorks shafts. You can brake and reduce the weight 10 or 20 grain. There are 12 points in one pack.*

#### SPECIFICATIONS


**182119**

- MATERIAL Stainless Steel
- WEIGHT 60 - 70 - 80 grain  
80 - 90 - 100 grain  
100 - 110 - 120 grain



## VANES NS 2"

*Produced by plastic material and cut as shield model.*



### SPECIFICATIONS


**172010**

► MATERIAL	Plastic
► WEIGHT	8,4 grain
► COLOR	

## FLETCHING JIG PRO

*Thanks to the strong connection system the arrow does not move during fletching. As a result of easy system roller and classic feather can be made. It has a durable anodized finish and is marked with a laser. Easy-to-travel portable design.*

RECURVE COMPOUND



### SPECIFICATIONS

**181178**

► MATERIAL	Aluminum
► WEIGHT	500 gr
► COLOR	

## GLUE VATOZ

*Adhesive for vanes, nocks and points.  
Curing time is 10 seconds.*



### SPECIFICATIONS

**192115**

► MATERIAL	Glue
► WEIGHT	62 g
► SIZE	7.5 cm

# RELEASE TR1




**TR**

*ASES TR1 Wrist Release, special ball mechanism reduces the reaction time of trigger. Fixed all technical issues, achieved perfection. Specially designed professional level material to catch the stable shot and reach high scores. The adjustable wrist strap and mechanism provide to find perfect shooting position. Leather wristband, unique fabric sewn into it gives you a comfortable and safe shot. The ideal combination of comfort, style and adjustability.*



### SPECIFICATIONS

**181184**

► MATERIAL	Aluminum/Leather
► WEIGHT	157 g
► COLOR	  



## QUIVER TEAM ASES

*It is made of special waterproof durable fabric and has large pockets for the equipment of the athlete. Thanks to its new and wide range of colors, it gives every athlete the chance to reflect his own style. Coming with a special color belt.*



### SPECIFICATIONS

**181165**

► MATERIAL Fabric

► COLOR



## QUIVER FIELD



*Manufactured from ASES printed qualified material. It has 3 sections for arrows. Lower and Upper side has 1 big pocket with zipper and the upper side it has 2 small pocket. Included a fully adjustable belt.*



### SPECIFICATIONS

**161046**

► MATERIAL Fabric

► COLOR



## POUCH

*It's a pocket for your release specially. You can attach it to your quiver belt*



### SPECIFICATIONS

**151029**

► MATERIAL Fabric

► COLOR



### CHESTGUARD

Produced by high-quality netting fabric material. Protects your chest and helps you shoot more comfortable.



#### SPECIFICATIONS 151053

► MATERIAL	Netting Fabric
► WEIGHT	62 g
► SIZE	XS - S - M - L - XL
► COLOR	

### CHESTGUARD MAGIC

Manufactured from netting fabric material. Protects your chest and helps you shoot more comfortable.



#### SPECIFICATIONS 161018

► MATERIAL	Netting Fabric
► WEIGHT	62.2 g
► SIZE	XS - S - M - L - XL
► COLOR	

### ARMGUARD ROOMY PLASTIC

Made of special plastic, protects your arm from damage/friction. Helps you shoot more comfortable.




#### SPECIFICATIONS 151070

► MATERIAL	Plastic
► WEIGHT	24 g
► COLOR	

### ARMGUARD LEAF PLASTIC

Made of special plastic, protects your arm from damage/friction. Helps you shoot more comfortable.



#### SPECIFICATIONS 151035

► MATERIAL	Plastic
► WEIGHT	23 g
► COLOR	

## ARROW PULLER CYLINDER WITH HOOK

*Manufactured from Rubber. You can easily eject from target to your arrow*



### SPECIFICATIONS

**191166**

► MATERIAL	Rubber
► WEIGHT	62 g
► COLOR	

## ARROW PULLER

*Made of natural rubber for superior grip on carbon and aluminum arrows. It will help you remove your carbon and aluminum arrows easily.*



### SPECIFICATIONS

**151001**

► MATERIAL	Rubber
► WEIGHT	62 g
► SIZE	7x7 cm
► COLOR	

## ARROW PULLER POWER DISC

*Made of natural rubber for superior grip on carbon and aluminum arrows. It will help you remove your carbon and aluminum arrows easily.*



### SPECIFICATIONS

**151008**

► MATERIAL	Rubber
► WEIGHT	48 g
► DIAMETER	7.5x7.5 cm



### MAGNETIC CLIP

*Easy to open and close with magnet feature. It has 2 rings for attaching to accessories.*

#### SPECIFICATIONS

**171010**

► MATERIAL Aluminum

► WEIGHT 21 g

► COLOR 



### MAGNETIC CLIP PURE BK

*Easy to open and close with magnet feature. It has 2 rings for attaching to accessories.*

#### SPECIFICATIONS

**181114**

► MATERIAL Plastic

► WEIGHT 14 g



# TARGETS



*Made of light weight material, there are 2 wood flaps on the top and the bottom of the targets. They are compressed and lined on 2 stubs. Damaged ones can be easily replaced by the spare parts. It's convenient and easy to carry.*

## SPECIFICATIONS

**157002-05 / 185003**


► MATERIAL	Eva
► SIZE	40 x40x20 - 60x60x20 - 80x80x20 100x100x20-125x125x25

# TARGET PIN



## SPECIFICATIONS

**195047**

► MATERIAL	Plastic
► WEIGHT	2 g
► COLOR	 

## TARGET STAND (3)



*Manufactured from kiln-dried pine wood. Portable 3 leg target stand is easy to use. Available to be used with 100x100 cm targets.*

### SPECIFICATIONS

**157006**

► MATERIAL	Kiln-Dried Pine Wood
► SIZE	172 x 120 x 150 cm
► PACK SIZE	196 x 27 x 18 cm

## TARGET STAND (4)



*Manufactured from kiln-dried pine wood. Portable 4 leg target stand is easy to use. Available to be used with 125 x 125 cm targets.*

### SPECIFICATIONS

**157007**

► MATERIAL	Kiln-Dried Pine Wood
► SIZE	184 x 107 x 147 cm
► PACK SIZE	200 x 16 x 16 cm

## TARGET STAND MINI (4)



*Manufactured from kiln-dried pine wood. Portable 4 leg target stand is easy to use. Available to be used with 60x60x7, 60x60x20 cm targets.*

### SPECIFICATIONS

**165002**

► MATERIAL	Kiln-Dried Pine Wood
► SIZE	50 x 9 x 118 cm
► PACK SIZE	113 x 52 x 60 cm

## HAT BK



### SPECIFICATIONS

171016

► MATERIAL Canvas Fabric

## HAT RD



### SPECIFICATIONS

171018

► MATERIAL Canvas Fabric

## TEAM UNIFORM



### SPECIFICATIONS

171066

► MATERIAL Fabric



### FULL ZIP FLEECE



#### SPECIFICATIONS

**193169**

#### ► MATERIAL

Fleece Fabric

### FULL ZIP FLEECE VEST



#### SPECIFICATIONS

**193168**

#### ► MATERIAL

Fleece Fabric

### WATERPOOF SHOFTSHELL JACKET



#### SPECIFICATIONS

**193167**

#### ► MATERIAL

Waterproof Fabric

## PUFFY PILLOW

Target design pillow that you don't want to take away from your travels. Thanks to its hook, you can hang it anywhere.



### SPECIFICATIONS

**181161**

- MATERIAL Polyester
- DIAMETER 32 cm

## TOWEL TARGET FACE



### SPECIFICATIONS

**181015**

- MATERIAL %80 Cotton %10 Polyester
- SIZE 38.5 x 24 cm

## WRIST BAND



### SPECIFICATIONS

**181190**

- MATERIAL Rubber
- COLOR

## TOWEL TARGET BEACH



### SPECIFICATIONS

**191015**

- MATERIAL %90 Cotton %10 Polyester
- SIZE 68 x 142 cm

### BOTTLE OPENER

Archer bottle opener design features magnet to place on fridge when not in use.



#### SPECIFICATIONS

**171045**

► MATERIAL Metal

### MEDAL SET

This set includes 1 Gold, 1 Silver and 1 Bronze medal. Reward your winners with the ASES symbol at success.



#### SPECIFICATIONS

**253547**

► MATERIAL Metal

### BADGE



#### SPECIFICATIONS

**191198**

► MATERIAL Metal

### ARROW PEN

Arrow design pen



#### SPECIFICATIONS

**191197**

► MATERIAL Plastic

► SIZE 17 cm

► COLOR 



## UMBRELLA



### SPECIFICATIONS

191041

- MATERIAL *Waterproof Fabric*
- SIZE *13 cm Compact Size*
- DIAMETER *106 cm*
- WEIGHT *450 g*

*With one button automatically open and close coverage for 2 persons and convenient to carry. Diameter 42" [106cm], compact size 13" [33cm]. Weight less than 1lbs [450g]. Easy to fit in your handbags, backpacks and briefcases.*

## RAINCOAT



*Light weight, extremely waterproof, windproof, breathable, non-stick dirty, wear-resistant, easy cleaning and quick-drying.*

### SPECIFICATIONS

191043

- MATERIAL *Waterproof Material*

## SHOE COVER



*Extremely waterproof, light weight, easy cleaning and quick-drying.*

### SPECIFICATIONS

191122

- MATERIAL *Waterproof Material*

### TOOLBOX

You can put your accessories. Nock, O-Ring, Arrow point etc...



#### SPECIFICATIONS

**191046**


- MATERIAL *Quality Plastic*
- COLOR 

### BOTTLE



#### SPECIFICATIONS

**191184**

- MATERIAL *Metal*
  - WEIGHT *83 g*
  - VOLUME *600 ml*
  - COLOR 
- Included hook*

### BACKPACK COVER



#### SPECIFICATIONS

**191035**

- MATERIAL *Waterproof Fabric*
- COLOR 

### SUITCASE COVER



#### SPECIFICATIONS

**191042**

- MATERIAL *Polyester*
- SIZE *55x35x20*



**[www.asesarchery.com](http://www.asesarchery.com)**

**f    /asesarchery**

17875 Von Karman Ave Suite 150 Irvine, CA 92614 USA



**Aases**

*be the best*